

INDEX MAPS.

T. 19 N. R. 7 W. 2nd Mer.

416	415	415	415	415	414
6	5	4	3	2	1
440	440	434	430	426	424
417	417	417	417	417	414
7	8	9	10	11	12
439	439	433	429	425	421
417	417	417	417	417	413
18	17	16	15	14	13
438	437	432	428	424	420
418	418	418	418	418	413
19	20	21	22	23	24
437	436	432	428	423	419
418	418	418	418	418	413
30	29	28	27	26	25
435	435	431	427	423	418
418	418	418	418	418	412
31	32	33	34	35	36
412	412	411	411	411	411

T. 20 N. R. 7 W. 2nd Mer.

448	447	447	447	447	446
6	5	4	3	2	1
472	471	466	461	457	453
471	470	465	461	456	452
18	17	16	15	14	13
469	469	464	460	456	452
19	20	21	22	23	24
473	468	463	459	455	451
30	29	28	27	26	25
467	467	463	458	454	450
31	32	33	34	35	36
444	444	443	443	443	443

The figures on the lines refer to the page.

443

Township N. 20 North, Range N. 7 West 2. Mer. Ind. a

Township Lines.

Ch. 20. South Boundary. Var. 6° 50' E.
West on the S. Boundary of Sec. 36

October 13. 1819

40.00 set of. sec. part from which

a Beech 9 in. diam bears East 40 W. dist. 8

a Do 11 " " " S 15 E 14 " "

80.00 set part cor. of sec. 35 & 36 from which

a Sugar 10 in. diam bears N 60 W 6 W. dist. 8

a S. Oak 27 " " " N 75 E 12 " "

Land rich & good for farming, timber Oak,
Beech, Sugar &c.

West on the S. Boundary of Sec. 35

40.00 set of. sec. part from which

a B. Ash 12 in. diam bears S 56 W 22 W. dist. 8

a Hickory 24 " " " East 7 " "

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 18 in. diam bears N 56 E 48 W. dist.

a Beech 12 " " " S 45 W 42 " "

Land E. rate, timber Beech, Sugar, Oak &c.
middling good for farming.

West on the S. Boundary of Sec. 34

32.00 a Brook 10 W. wide runs NW

40.00 set of. sec. part from which

a Gum 10 in. diam bears N 86 E 48 W. dist. 8

a Sugar 10 " " " S 41 W 18 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 12 in. diam bears N 76 E 33 W. dist.

a Do 12 " " " S 79 W 29 " "

Land similar to that in last mile

West on the S. Boundary of Sec. 33

38.00 a Creek 20 W. wide runs SW

40.00 set of. sec. part from which

T. 20 N., R. 7 W. 2^d. Mer. Ind.^a
Chs. Shs.

a Sugar 12 in. dia. bears N 43° W 10 lbs. dist. 8
a W. Oak 15 " " " S 10° W 11 " "
45.00 same Creek course NW
80.00 dit part cor. of sec. 32 & 33 from which
a Sugar 9 in. dia. bears S 19° E 23 lbs. dist. 8
a Do 8 " " " N 17° W 27 " "
Land rich & good for farming, timber
Beech, Sugar, Walnut, Oak, Hickory,
Syc. &c.

West on the S. Boundary of Sec. 32

10.00 at Brook 10 lbs. wide course NW

40.00 dit of sec. part from which

a Hickory 2 1/2 in. dia. bears S 85° W 33 lbs. dist.
a Ironwood 9 " " " N 27° E 24 " "

80.00 dit part cor. of sec. 31 & 32 from which

a Sugar 18 in. dia. bears N 80° E 40 lbs. dist. 8
a Do 10 " " " S 29° W 1 " "

Land same as last described.

West on the S. Boundary of Sec. 31

4.00 a Creek 50 lbs. wide course S.

40.00 dit of sec. part from which

a Hickory 18 in. dia. bears N 67° W 21 lbs. dist.
a Cherry 6 " " " S 13° W 12 " "

60.00 a Creek 100 lbs. wide course SW

81.05 Intersect W. Boundary 901 lbs. N. of part-
dit part at intersection cor. of T. 19 & 20 N., R.
7 & 8 W. from which

an Ironwood 8 in. dia. bears N 67° E 5 lbs. dist.
& a Sugar 18 " " " S 32° W 37 " "

Land rich & good for farming.

East Boundary. Var. 6° 45' E.
North on the E. Boundary of Sec. 30.
October 17, 1819

T. 20 N., R. 7 W. 2. Mer. Ind.

Ch. Lk.

40.00 set of sec. post from which

a Hickory 15 in. dia. bears S 80 W 19 W. dist. 8

a Beech 18 " " " N 76 E 28 " "

78.00 a creek 12 Ws. wide course W

80.00 set post cor. of sec. 25 & 30 from which

a Buckeye 12 in. dia. bears S 81 E 20 W. dist.

a Sugar 10 " " " N 23 W 21 " "

Land level 2. rate, timber Beech, Sugar,
Oak, Ash &c. middling good for farming

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a Beech 27 in. dia. bears N 40 E 32 W. dist. 8

a B. Oak 7 " " " S 04 W 53 " "

80.00 set post cor. of sec. 24 & 25 from which

a Sugar 10 in. dia. bears S 19 W 3 W. dist. 8

a Beech 24 " " " N 0 E 48 " "

Land similar to that on last mile.

North on the E. Boundary of Sec. 24

27.00 a creek 15 Ws. wide course W

40.00 set of sec. post from which

a Poplar 36 in. dia. bears S 58 E 32 W. dist. 8

an Elm 36 " " " S 83 W 11 " "

80.00 set post cor. of sec. 13 & 24 from which

a W. Ash 14 in. dia. bears S 07 E 31 W. dist. 8

a Hickory 27 " " " S 32 W 33 " "

Land similar

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which

a Hickory 9 in. dia. bears S 65 W 3 W. dist. 8

a B. Walnut 36 " " " North 8 " "

55.00 enter the arm of a Prairie

58.80 a creek 30 Ws. wide course W. flush run-
ning creek at all times.

T. 20 N., R. 7 W. 2^d. Mer. Ind^a

Exp. Exp.

65.00 passed Prairie

80.00 set post cor. of sec. 12 & 13 from which
 a W. Oak 13 in. dia. bears N 67° W 101 lbs. dist. 8
 a B. Oak 10 " " " N 64° E 132 " " "
 Most of this mile land nearly 1st rate, a
 part too wet

North on the E. Boundary of Sec. 12

14.00 enter Prairie

40.00 set q. sec. post & made mound

80.00 set post cor. of sec. 1 & 12 ^{in Prairie} from which and
 made a mound.

First rate farming land

North on the E. Boundary of Sec. 1

30.00 enter point of wood

37.50 a Brook 12 lbs. wide course W

38.00 enter same Prairie

40.00 set q. sec. post from which

a Elm 9 in. dia. bears S 51° W 341 lbs. dist.
 (No other Bearing tree)

80.00 set temp. post for Township corner.
 Land 1st rate.

North Boundary. Var. 6° 50' E.

West on the S. Boundary of Sec. 30, T. 21 N., R. 7 W.

October 28. 1819

20.00 enter wood

40.00 set q. sec. post from which

a Sugar 30 in. dia. bears North 5 lbs. dist. 8
 a Hickory 12 " " " S 8° E 35 " " "

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 36 in. dia. bears North 49 lbs. dist. 8

a Sugar 27 " " " S 30° W 19 " " "

Land 1st rate, timber Oak, Hickory, Sugar,
 Walnut &c.

T. 20 N., R. 7 W. 2. Mer. Ind.^a

Chs. Sk.

West on the S. Boundary of Sec. 35, T21 N, R7 W.

20.00 at Brook 15 lks. wide corner NW

40.00 set of sec. part from which

a B. Oak 27 in. dia. bears N80 E 49 lks. dist. &

a B. Oak 30 " " " N17 W 13 " "

65.00 enter Prairie

80.00 set part cor. of sec. 34 & 35 & made a mound,

Land rich & good for farming, Prairie
first rate.

West on the S. Boundary of Sec. 34, T21 N, R7 W

40.00 set of sec. part in Prairie from which

a B. Jack 12 in. dia. bears N69 W 166 lks. dist.

(No other Bearing tree)

80.00 set part cor. of sec. 33 & 34 from which

a Oak 18 in. dia. bears S46 1/2 W 698 lks. dist.

(No other Bearing tree)

Land first rate.

West on the S. Boundary of Sec. 33, T21 N, R7 W

40.00 set of sec. part in Prairie & made mound

60.00 passed Prairie

80.00 set part cor. of sec. 32 & 33 from which

a B. Jack 12 in. dia. bears N4 W 188 lks. dist. &

a Do 11 " " " S84 E 142 " "

Part of the Prairie rather wet.

West on the S. Boundary of Sec. 32, T21 N, R7 W

40.00 set of sec. part from which

a Hickory 9 in. dia. bears S86 E 44 lks. dist. &

a Cherry 11 " " " S28 W 21 " "

80.00 set part cor. of sec. 31 & 32 from which

a B. Oak 36 in. dia. bears N89 W 13 lks. dist. &

(No other Bearing tree)

West 1/2 mile Barrens.

T. 20 N., R. 7 W. 2^d Mer. Ind^a.

Chas. Sp.

West on the S. Boundary of Sec. 31, T21 N, R7 W.

40.00 set gr. sec. post in a small pond hole

80.75 Intersect W. Boundary 288 Ws. S. of temp. post.

set post at intersection and made a mound, cor.
of T. 20 & 21 N, R. 7 & 8 W from which
a large rock bears S 86 E 126 Ws. dist.
Land wet Prairie

West Boundary. Var. 6° 45' E.

North on the E. Boundary of Sec. 36, T20 N, R8 W.

October 16. 1819

3.00 a Brook 5 Ws. wide course E.

38.00 a Do 5 " " " E.

40.00 set gr. sec. post from which

a Sugar 7 in. dia. bears S 50 W 9 Ws. dist. &

a W. Ash 9 " " " S 29 E 35 " "

74.00 a Brook 15 Ws. wide course E.

80.00 set post cor. of sec. 25 & 36 from which

an Ironwood 9 in. dia. bears S 28 W 36 Ws. dist. &

a Hickory 10 " " " N 33 W 40 " "

Land rolling 2^d rate, good for farming, timber
Beech, Sugar, Oak, Hickory &c.

North on the E. Boundary of Sec. 25, T20 N, R8 W.

40.00 set gr. sec. post from which

a W. Oak 18 in. dia. bears N 54 W 24 Ws. dist. &

a Do 18 " " " S 86 E 57 " "

60.00 a Brook 6 Ws. wide course E.

80.00 set post cor. of sec. 24 & 25 from which

a Beech 9 in. dia. bears N 26 E 7 Ws. dist. &

a W. Ash 9 " " " S 25 W 24 " "

Land same as last described.

North on the E. Boundary of Sec. 24, T20 N, R8 W

40.00 set gr. sec. post from which

a Sugar 24 in. dia. bears S 18 W 16 Ws. dist. &

T. 20 N., R. 7 W. 2^d Mer. Ind.

Ch. Sp.

an Elm 10 in. diam bears N 65 E 16 W. dist.

80.00 set post cor. of sec. 13 & 24 from which

a W. Oak 30 in. diam bears S 11 W 45 W. dist. 3

a Dr 18 " " " N 11 W 34 " "

Land similar.

North on the E. Boundary of Sec. 13, T 20 N, R 8 W.

0.50 a Creek 19 W. wide course SE

39.00 enter Prairie

40.00 set of sec. post from which

a W. Oak 27 in. diam bears S 3 1/2 W 95 W. dist.

(No other Bearing tree)

45.00 passed Prairie

55.00 enter "

67.00 passed "

77.50 enter same Prairie

80.00 set post cor. of sec. 12 & 13 from which

a W. Oak 24 in. diam bears S 1 E 290 W. dist.

(No other Bearing tree)

Land of a middling quality, timber Oak & Hickory.

North on the E. Boundary of Sec. 12, T 20 N, R 8 W.

5.50 a Creek 40 W. wide course SW

13.50 same Creek " SE

40.00 set of sec. post from which

a W. Oak 30 in. diam bears S 88 1/2 W 315 W. dist.

(No other Bearing tree)

42.50 same Creek course SW

80.00 set post cor. of sec. 11 & 12 from which

a B. Jack 18 in. diam bears S 54 W 274 W. dist. 8

(No other Bearing tree)

Prairie rich & good for farming, part overflows a little by the Creek.

North on the E. Boundary of Sec. 1, T 20 N, R 8 W.

T. 20 N., R. 7 W. 2.^d Mer. Ind.^a

Ch. Lk.

40.00 set of sec. post from which
a Hickory 12 in. dia. bears S 75° W 380 lbs. dist.
(No other Bearing tree)

80.00 set temp. post for Township corner in
Prairie — Prairie part rich & good for
farming, and part wet & boggy.
Surveyed in 1819 by William Harris
Dep. Surveyor.

Comp.

Subdivision. Var. 7° 10' E.

North between Secs. 35 & 36

11.40 a Hickory 24 in. dia.

25.39 a Brook 12 lbs. wide corner S E

39.29 a Do ————— " E

40.00 set of sec. post in the edge of a Brook from
which an Ash 18 in. dia. bears N 11° E 49 lbs. dist.
& a Sugar 12 " " " S 51° W 87 " "

40.05 leave Brook

46.48 a W. Oak 36 in. dia.

80.00 set post cor. of Secs. 25, 26, 35 & 36 from which
a Hickory 10 in. dia. bears S 70° 1/2° E 5 lbs. dist. &
a Beech 18 " " " N 44° W 40 " "
Sand level 2.^d rate, timber Oak, Hickory, Ash,
Beech & Sugar

East on Random between Secs. 25 & 36

40.00 set temp. of sec. post

71.92 a Brook 40 lbs. wide corner NW

79.91 Intersect E. Boundary 10 lbs. N. of post —

Sand level 2.^d rate, timber Oak, Ash, Hickory,
Beech & Sugar

West Connected between Secs. 25 & 36

39.95 1/2 set of sec. post at aver. dist. from which

a Hickory 24 in. dia. bears S 10° W 10 lbs. dist. &
a Beech 12 " " " N 41° W 32 " "

T. 20 N., R. 7 W. 2. Mer. Ind.^a
Ch. Dr.

79.91 to sec. cor.

North between Sec. 25 & 26

3.30 a Hickory 24 in. dia.

15.00 enter Bottom

23.00 a Brook 24 Ws. wide course NW

24.25 leave Bottom

40.00 set of sec. post from which

a Beech 14 in. dia. bears N44 W 32 Ws. dist. 8

an Elm 24 " " " S6 W 28 " "

60.33 a Walnut 24 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a R. Oak 14 in. dia. bears N71 W 20 Ws. dist. 8

a Beech 5 " " " East 22 " "

Land level 2^d rate, timber Oak, Hickory, Ash,
Walnut & Beech

East on Random between Sec. 24 & 25

40.00 set temp. of sec. post

80.00 Intersect E. Boundary 34 Ws. S. of post

Land level 2^d rate, timber Oak, Ash, Hickory,
Beech, Sugar

West Corrected between Sec. 24 & 25

40.00 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears S5 E 24 Ws. dist. 8

a Hickory 27 " " " N88 E 10 " "

80.00 to sec. cor.

North between Sec. 23 & 24

8.32 a W. Oak 14 in. dia.

24.44 a Brook 50 Ws. wide course W

40.00 set of sec. post from which

a Lynn 6 in. dia. bears N86 E 12 Ws. dist. 8

a Poplar 30 " " " S3 E 32 " "

40.96 a Do 30 " "

T. 20 N., R. 7 W. 2^d. Mer. Ind.^a

Chs. Sp.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 a Lynn 6 in. dia. bears South 16 Ws. dist. 8
 a Beech 7 " " N 42 W 23 "
 Land level 2^d rate, timber Oak, Ash, Poplar,
 Beech, Lynn, Sugar. Sunday, Dec. 4. 1820

East on Random between Sec. 13 & 24

40.00 set q. sec. post (temp.)

79.94 Intersect E. Boundary 59 Ws. S. of post -
 Land level 2^d rate, timber Oak, Ash, Hickory,
 Beech & Sugar

West Corrected between Sec. 13 & 24

39.97 set q. sec. post at aver. dist. from which
 a Hickory 20 in. dia. bears N 45 W 24 Ws. dist. 8
 a Bur Oak 36 " " S 40 E 17 "
 79.94 to sec. cor.

North between Sec. 13 & 14

7.50 a Lynn 12 in. dia.

40.00 set q. sec. post from which
 a Beech 20 in. dia. bears N 9 E 39 Ws. dist. 8
 an Ash 5 " " S 9 W 25 "

47.48 a W. Ash 24 "

52.63 a Brook 25 Ws. wide course W. enters Bottoms

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a R. Oak 22 in. dia. bears N 7 E 32 Ws. dist. 8
 a Do 30 " " South 15 "
 Land level, T. $\frac{1}{2}$ mile 2^d rate, a little wet,
 S. $\frac{1}{2}$ mile rich Bottoms 1st rate. timber Oak,
 Ash, Lynn, Sycamore & Beech

East on Random between Sec. 12 & 13

10.50 leave Bottoms land

40.00 set temp. q. sec. post

79.66 Intersect E. Boundary 30 Ws. S. of post -

T. 20 N., R. 7 W. 2. Mer. Ind. a

Ch. 2ndLand level 2nd rate, timber Oak, Hickory, Ash,
Walnut & Beech

West Corrected between Sec. 12 & 13

39.83 set gr. sec. post at aver. dist. from which
 a Walnut 22 in. dia. bears N 11 E 15 1/2 W. dist. 8
 a Bur Oak 22 " " " S 15 E 26 " "
 79.66 to sec. cor.

North between Sec. 11 & 12

1.96 a R. Oak 24 in. dia.

30.00 enter Prairie

40.00 set gr. sec. post from which
 a W. Elm 20 in. dia. bears S 82 W 10.30 Ch. dist.
 a B. Jack 18 " " " S 30 E 5 1/4 W. dist.

80.00 set post cor. of Sec. 1, 2, 11 & 12 and raised
 a mound; no bearing trees.

Land level 2nd rate, timber Oak, Hickory, B.
 Walnut, B. Jack - Prairie level & rich.

East on Random between Sec. 1 & 12

19.00 a small grove

24.00 leave grove

40.00 set temp. gr. sec. post

80.61 Intersect E. Boundary 36 W. S. of post -
 Prairie level & rich

West Corrected between Sec. 1 & 12

40.30 1/2 set gr. sec. post at aver. dist. & raised a mound

80.61 to sec. cor.

North between Sec. 1 & 2

40.00 set gr. sec. post from which

a W. Oak 30 in. dia. bears N 42 E 43 1/2 W. dist. 8

a Hickory 14 " " " N 26 W 65 1/2 " "

44.50 leave Prairie

T. 20. N., R. 7 W. 2. Mer. Ind.^a

Cm. Sk.

45.50 a W Oak 18 in. dia.

62.50 a Brook 14 lbs. wide course NW

80.09 Intersect N. Boundary 5 lbs. W. of post -
 set post at intersection cor. of sec. 162 from which
 a Post Oak 36 in. dia. bears N 7 E 50 lbs. dist. &
 a Sugar 24 " " S 16 W 17 " "
 Prairie level 2^d rate, land level 2^d rate,
 timber Oak, Hickory & Sugar
 Monday, December 5. 1820

North between Sec. 34 & 35

13.13 a Beech 13 in. dia.

40.00 set gr. sec. post from which

a B. Oak 36 in. dia. bears N 89 E 13 lbs. dist. &

a Spruce 14 " " S 69 W 37 " "

52.45 a Bur Oak 36 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Bur Oak 36 in. dia. bears N 11 W 30 lbs. dist. &

a W. Elm 24 " " S 43 E 4 " "

Land level 2^d rate, timber Oak, Hickory, Spruce,
 Walnut, Ash, Beech & Sugar

East on Randum between Sec. 26 & 35

33.62 a Brook 25 lbs. wide course NW

40.00 set temp. gr. sec. post

80.09 Intersect N. & S. line 9 lbs. N. of post -

Land level 2^d rate, timber Oak, Hickory, Ash,
 Beech, Sugar. Upr. Bramble brush

West Corrected between Sec. 26 & 35

40.04 1/2 set gr. sec. post at aver. dist. from which

an Ash 12 in. dia. bears S 29 W 43 lbs. dist. &

a Sycamore 18 " " N 43 E 37 " "

80.09 to sec. cor.

North between Sec. 26 & 27

T. 20 N., R. 7 W. 2. Mer. Ind.

Ch. Ch.

3.36 a Post Oak 30 in. dia.

40.00 set gr. sec. post from which
 a Hickory 24 in. dia. bears N 30 E 27 lbs. dist. 2
 a Sugar 42 " " " S 45 W 42 " "

44.25 enter a Bottom

48.67 a creek 50 lbs. wide course S W

49.92 a Sugar 22 in. dia.

55.00 leave Bottom

63.00 a Brook 15 lbs. wide course W.

80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Sugar 24 in. dia. bears N 38 W 51 lbs. dist. 2
 a Buckeye 7 " " " S 38 E 25 " "
 Land level 2. rate, Bottom rich, timber
 Oak, Sugar, Beech, Ash, Sycamore & Buckeye

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

79.81 Intersect N & S. line 80 lbs. N. of post -
 Land level 2. rate, timber Oak, Ash, Poplar,
 Sugar, Beech, Elm & Sycamore

West Corrected between Sec. 23 & 26

39.90 set gr. sec. post at aver. dist. from which
 a W. Oak 36 in. dia. bears N 26 W 6 lbs. dist. 2
 a Beech 13 " " " S 45 E 18 " "

79.81 to sec. cor.

North between Sec. 22 & 23

14.39 a Sugar 24 in. dia.

33.00 enter Bottom

38.26 a Brook 25 lbs. wide course N W

40.00 set gr. sec. post from which
 a Hickory 18 in. dia. bears N 68 E 25 lbs. dist. 2
 a Beech 30 " " " S 54 W 31 " "

47.00 leave Bottom

49.57 a Sugar 20 in. dia.

T. 20 N., R. 7 W. 2. Mer. Ind.

Ch. Cr.

80.00 dit part cor. of sec. 14, 15, 22 & 23 from which
 a R. Oak 42 in. in dia bears N 21 E 37 W. dit &
 a Hackberry 24 " " S 29 W 23 " "
 Land level 2^d rate, timber Oak, Ash, Walnut,
 Sugar, Hickory & Sycamore

East on Random between Sec. 14 & 23

40.00 dit temp. gr. sec. part

79.75 Intersect N & S. line 5 W. N. of part -

Land level good 2^d rate, timber Oak, Hickory,
 Ash, Poplar, Walnut & Hackberry

West Connected between Sec. 14 & 23

39.87 1/2 dit gr. sec. part at aver. dit from which
 a B. Oak 3 in. in dia bears N 10 E 10 W. dit &
 a Sugar 20 " " S 30 E 20 " "

79.75 to sec. cor.

North between Sec. 14 & 15

13.05 a Hickory 18 in. dia.

40.00 dit gr. sec. part from which

an Ash 8 in. in dia bears N 58 E 65 W. dit &

a Hickory 14 " " S 48 W 4 " "

45.57 a Beech 20 " "

64.55 a creek 111 W. wide course S W

80.00 dit part cor. of sec. 10, 11, 14 & 15 from which

an W. Ash 10 in. in dia bears N 47 W 28 W. dit &

an W. Elm 20 " " S 49 W 31 " "

Land level 2^d rate, timber Oak, Ash, Wal-
 nut, Beech & Sugar. W. Bramble shrubs
 Tuesday, December 6. 1820.

East on Random between Sec. 14 & 14

40.00 dit temp. gr. sec. part

79.45 Intersect N & S. line 9 W. N. of part -

Land level, 1 1/2 mile 1st rate upland,

T. 20 N., R. 7 W. 2.^d Mer. Ind.^aCh.^a Sp.^a

timber Walnut, Sugar, Ash & Poplar - 2.^o/₂ mile
 2.^o/₂ mile, timber Oak, Hickory & Sugar

West Connected between Sec. 11 & 14

39.74¹/₂ set of sec. port at aver. dist. from which
 a W. Oak 54 in. diam. bears S 85° W 20 lbs. dist. 8
 a Beech 18 " " " N 57° E 15 " "

79.45 to sec. cor.

North between Sec. 10 & 11

2.92 a R. Oak 24 in. dia.

39.00 a Brook 20 lbs. wide course S 4° W

40.00 set of sec. port from which

a W. Walnut 12 in. diam. bears N 14° E 26 lbs. dist. 8
 a W. Ash 6 " " " West 33 " "

61.28 a Hickory 18 " "

68.75 enter Prairie

80.00 set port cor. of sec. 2, 3, 10 & 11 and raised a
 mound, no bearing trees.

Land level 2.^o/₂ mile, timber Oak, Hickory,
 Ash, Walnut, Sugar & Beech. Prairie level
 and rich.

East on Random between Sec. 2 & 11

28.50 enter woodland

40.00 set temp. of sec. port

63.00 enter Prairie

78.63 Intersect N & S line 10 lbs. S. of port in mound -
 Prairie rich level, land level 2.^o/₂ mile,
 timber Oak & Hickory

West Connected between Sec. 2 & 11

39.31¹/₂ set of sec. port at aver. dist. from which
 a Hickory 20 in. diam. bears S 50° W 70 lbs. dist. 8
 a Do 6 " " " S 52° E 37 " "

78.63 to sec. cor.

T. 20 N., R. 7 W. 2. Mer. Ind. a

Ch. Lb.

North between Sec. 2 & 3

40.00 set gr. sec. post & raised a mound, no bearings.

81.00 Intersect N. Boundary 70 W. E. of post in mound, or place where the mound was being thrown down. — set post at intersection cor. of sec. 2 & 3 and raised mound, no bearing trees — Prairie level & rich

North between Sec. 33 & 34

3.86 a Brook 15 W. wide course SW.

6.52 a Sugar 18 in. dia.

40.00 set gr. sec. post from which

a W. Oak 30 in. dia. bears N 76 E 9 W. dist. 8

a Beech 14 " " " N 63 W 25 " "

44.82 a Brook 15 W. wide course W

62.42 a R. Oak 24 in. dia.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Hickory 22 in. dia. bears S 74 W 5 W. dist. 8

an Ironwood 3 " " " S 77 E 5 " "

Land rolling 3. rate, timber Oak, Hickory, Beech & Ironwood

East on Ransom between Sec. 27 & 34

40.00 set temp. gr. sec. post

80.42 Intersect N. & S. line 12 W. S. of post —

Land 1. 1/2 mile 3. rate rolling, timber Oak & Hickory — 2. 1/2 mile 2. rate level, inclining to be wet, timber Oak, Hickory, Elm, Ash, Maple & Beech. Wednesday, Dec. 7. 1820

West Corrected between Sec. 27 & 34

40.21 a Beech 18 in. dia. stands for gr. sec. cor. at aver. dist. from which

a W. Oak 30 in. dia. bears S 33 W 26 W. dist. 8

a Do 28 " " " N 59 E 36 " "

80.42 to sec. cor.

T. 20 N., R. 7 W. 2, Mer. Ind.^a

6th. Sp.

North between Sect. 27 & 28

0.10 entered Bottom & Spring making out of small bank

2.32 a Brook 3 Ws. wide course W.

3.35 a Sugar 18 in. dia.

14.82 a Brook 40 Ws. wide course S W

24.00 leave Bottom

40.00 set gr. sec. post from which

a Poplar 30 in. dia. bears N 22 E 24 Ws. dist. 3

a Sugar 14 " " " S 25 W 11 " "

43.46 a Beech 20 " "

52.00 enter wet land

80.00 set post cor. of sect. 21, 22, 27 & 28 from which

a W. Elm 15 in. dia. bears N 28 E 20 Ws. dist. 3

a Lymn 5 " " " S 42 W 31 " "

Land level 2^d rate, timber Oak, Ash, Poplar, Sugar, Beech, Elm & Lymn

East on Random between Sect. 22 & 27

40.00 set temp. gr. sec. post

45.00 leave wet land on Bottom

80.31 Intersect N & S. line 3 Ws. N. of post -

Land level 2^d rate, 1st 1/2 mile inclining to wet Bottom - 2^d 1/2 mile dry, timber Oak, Ash, Hickory, Lymn & Sugar

West Connected between Sect. 22 & 27

40.15 1/2 set gr. sec. post at aver. dist. from which

a Bur Oak 18 in. dia. bears N 67 W 31 Ws. dist. 3

a Lymn 4 " " " S 63 E 12 " "

80.31 to cu. cor.

North between Sect. 21 & 22

14.93 a Lymn 18 in. dia.

40.00 set gr. sec. post from which

a Hickory 10 in. dia. bears N 22 W 21 Ws. dist. 3

T. 20 N., R. 7 W. 2. Mer. Ind. ^a

Ch. Lk?

at N. Ash 8 in. dia. bears S 9° W 26 lbs. dist.
 45.00 leave wet land on bottom
 47.42 a R. Oak 24 in. dia.
 60.00 enter low land
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a W. Elm 15 in. dia. bears S 85° E 29 lbs. dist. 8
 a Bur Oak 30 " " " S 42° W 22 " "
 Land level, low, wet 2nd rate, timber Oak, Elm,
 Ash, Poplar, Sycamore, Syc & Beech

East on Random between Sec. 15 & 22

35.75 at Brook 75 lbs. wide course NW.

40.00 set temp. of sec. post

50.20 at Brook 5 lbs. wide course NW

80.18 Intersect N. & S. line 14 lbs. N. of post -

Land level 1st 1/2 mile 2nd rate - 2nd 1/2 mile rich
 2nd rate, timber Oak, Hickory, Ash, Elm,
 Syc, Sugar & Beech

West Connected between Sec. 15 & 22

40.09 set of sec. post at aver. dist. from which

a Sycamore 27 in. dia. bears N 9° W 16 lbs. dist. 8

a B. Walnut 24 " " " S 29° W 23 " "

80.18 to sec. cor.

North between Sec. 15 & 16

13.92 a Beech 18 in. dia.

31.46 at Brook 70 lbs. wide course W.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 38° W 31 lbs. dist. 8

an Ash 15 " " " S 19° E 31 " "

44.00 a R. Oak 36 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Sugar 24 in. dia. bears N 80° E 11 lbs. dist. 8

a R. Oak 36 " " " N 33° W 36 " "

Land level 2nd rate, timber Oak, Hickory, Ash,

T. 20 N., R. 7 W. 2. Mer. Ind.^a
 Ch. 36.

Walnut, Sugar & Sycamore.

East on Random between Sect. 10 & 15

40.00 set temp. g. sec. post

60.66 a creek 111 lbs. wide course NW

80.37 Intersect N. & S. line 3 lbs. S. of post -

Land level 2^d rate, timber Oak, Hickory, Ash,
 Beech, Sugar & Elm.

West corrected between Sect. 10 & 15

40.18 $\frac{1}{2}$ set g. sec. post at aver. dist. from which

a Walnut 5 in. dia. bears S 73° W 41 lbs. dist. 8

a Hickory 4 " " " N 51° E 18 " "

80.37 to sec. cor.

North between Sect. 9 & 10

9.94 a Lynn 36 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. dia. bears N 73° W 32 lbs. dist. 8

a W. Oak 20 " " " S 44° E 13 " "

55.64 a Beech 20 " "

55.75 a Pond of water 75 lbs. wide course W.

61.32 a Creek 144 lbs. wide course NW

80.00 set post cor. of Sect. 3, 4, 9 & 10 from which

a Hickory 24 in. dia. bears N 28° E 24 lbs. dist. 8

a Hackberry 22 " " " S 89° W 22 " "

Land level 2^d rate, timber Oak, Hickory, Beech,
 Ash & Sugar.

East on Random between Sect. 3 & 10

40.00 set temp. g. sec. post

44.50 enter wet Prairie

70.00 " dry "

79.86 Intersect N. & S. line 11 lbs. N. of post in mound -

Land level 2^d rate, timber Oak, Ash & Hick-
 ory - Prairie level & rich.

T. 20 N., R. 7 W. 2 Mer. Ind.^a

Ch. Lk.

West Connected between Sec. 3 & 10

39.93 set of sec. port at over. dirt from which
 a R. Elm 14 in. dia. leans N 55° W 11 lbs. dirt. 8
 a B. Walnut 6 " " " S 43° E 41 " "
 79.86 to sec. cor. Thursday, Dec. 8, 1820

North between Sec. 3 & 11

12.53 a Post Oak 36 in. dia.

18.00 enter Prairie

40.00 set of sec. port from which
 a Bur Oak 30 in. dia. leans S 48° W 810 lbs. dirt. 8
 a Hickory 24 " " " N 75° E 693 " "

41.50 enter grove

48.96 a Hickory 8 in. dia.

55.75 enter Prairie

80.75 Intersect N. Boundary 90 lbs. E. of port—
 set port at intersection cor. of sec. 3 & 11 from which
 a B. Oak 30 in. dia. leans S 78½° E 984 lbs. dirt. 8
 a B. Jack 10 " " " S 29½° W 831 " "
 Sand level 2^d rate, timber Oak, Hickory, Sugar,
 & Jack — Prairie level sweet

North between Sec. 32 & 33

12.81 a R. Oak 24 in. dia.

26.75 a Brook 60 lbs. wide course SW

40.00 set of sec. port from which
 a Bur Oak 30 in. dia. leans N 46° W 35 lbs. dirt. 8
 a Sugar 15 " " " S 51° E 41 " "

54.50 a Brook 75 lbs. wide course W.

55.00 a Sugar 10 in. dia.

80.00 set port cor. of sec. 28, 29, 32 & 33 from which
 a Beech 24 in. dia. leans N 49° E 41 lbs. dirt. 8
 a Sh 27 " " " S 38° W 32 " "
 Sand level 2^d rate, timber Oak, Hickory, Ash
 Walnut, Sugar & Beech

T. 20 N., R. 7 W. 2.^d Mer. Ind.^a

Ch. Sp.

East on Random between Sec. 28 & 33

19.50 at Brook 10 W. wide course S.

40.00 set temp. g. sec. post

50.00 enter Bottom

52.75 at Brook 50 W. wide course S W

61.64 a Do 75 " " " NW

70.77 a Do 225 " " " S W

80.00 leave Bottom

80.57 Intersect N & S. line 9 W. S. of post -

Land leveling 2^d rate, timber Oak, Hickory,
Sugar, Ash & Walnut

West Connected between Sec. 28 & 33

40.28 1/2 at g. sec. post at aver. dist. from which

a Sugar 24 in. diam bears N 63° W 19 W. dist. 3

a Do 22 " " " S 88 E 22 " "

80.57 to sec. cor.

North between Sec. 28 & 29

15.76 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. diam bears N 83° W 2 1/2 W. dist. 3

a W. Oak 36 " " " S 67 E 20 " "

60.62 a R. Oak 22 " "

70.00 land wet

78.00 " dry

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Sugar 18 in. diam bears N 21° W 18 W. dist. 3

a Lymn 36 " " " S 13° W 20 " "

Land level 2^d rate, timber Oak, Hickory,
Ash, Sugar, Walnut, Lymn & Yucca

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

80.70 Intersect N & S. line 14 W. N. of post -

Land level, T. 1/2 mile 2^d rate - 2^d part 1st

T. 20 N., R. 7 W. 2. Mer. Ind.

Ch. Sh.

rate, timber Oak, Ash, Walnut, Sugar,
Sycamore

West Connected between Sec. 21 & 28

40.35 cut gr. sec. post at aver. dirt from which
a Beech 18 in. dia. bears S 15 W 13 lbs. dirt 8
a Sh 14 " " " N 53 W 32 " "

80.70 to sec. cor.

North between Sec. 20 & 21

2.90 a Poplar 36 in. dia.

40.00 cut gr. sec. post from which

a R. Oak 36 in. dia. bears N 42 E 13 lbs. dirt 8
a B. Ash 6 " " " N 84 W 18 " "

43.28 a W. Ash 18 " "

80.00 cut post cor. of sec. 16, 17, 20 & 21 from which
a Bur Oak 27 in. dia. bears S 63 E 30 lbs. dirt 8
a R. Oak 36 " " " N 67 W 45 " "

Land level with 2. rate, timber Oak, Hickory,
Elm, Sycamore, Lym, Beech & Sugar

East on Random between Sec. 16 & 21

40.00 cut temp. gr. sec. post

80.58 Intersect E. Boundary 16 lbs. S. of post -
Land level with 2. rate, timber Oak, Elm, Hickory,
Ash, Sycamore, Lym & Sugar.

West Connected between Sec. 16 & 21

40.29 cut gr. sec. post at aver. dirt. from which

a Beech 20 in. dia. bears S 7 E 25 lbs. dirt 8
a Lym 24 " " " N 40 E 6 " "

80.58 to sec. cor.

North between Sec. 16 & 17

8.58 a Sycamore 24 in. dia.

40.00 cut gr. sec. post from which

T. 20 N., R. 7 W. 2. Mer. Ind. a.

Ch. 20.

a Hickory 10 in. dia. bears N 10 W 13 W. dist. 8

an Oak 30 " " " S 30 E 25 " "

Friday, December 9. 1820

51.11 a Hickory 12 in. dia.

80.00 set post cor. of sec. 8, 9, 10 & 17 from which

an Oak 30 in. dia. bears N 49 W 26 W. dist. 8

a Hickory 10 " " " S 29 E 24 " "

Land level 2. rate, timber Oak, Hickory,

Ash, Elm, Lycamore & Beech

East on Random between Sec. 9 & 10

4.05 a Brook 5 W. wide course N.

25.00 enter Bottom

40.00 set temp. of sec. post

41.00 a Brook 40 W. wide course NW

42.00 leave Bottom

80.19 Intersect N & S. line of W. S. of post -

Land level 2. rate, timber Oak, Hickory,

Beech, Sugar, Ash & Walnut.

West Corrected between Sec. 9 & 10

40.09 set of sec. post at corr. dist. from which

a Buckeye 16 in. dia. bears S 30 W 15 W. dist.

a Beech 5 " " " N 17 E 22 " "

80.19 to sec. cor.

North between Sec. 8 & 9

8.75 a Brook 25 W. wide course NW

15.75 an Oak 30 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 48 E 50 W. dist. 8

an Oak 22 " " " S 11 W 21 " "

44.79 an Elm 18 " "

70.00 enter wet Prairie

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

an Elm 24 in. dia. bears S 80 E 42 W. dist. 8

T. 20 N., R. 7 W. L. Mer. Ind.

Elev. 200

a W. Elm 18 in. dia. bears S 79 W 48 1/2 lbs. dist.
 Land level 2. rate, timber Oak, Beech, Sugar,
 Elm, Hickory & Walnut. Upr. Oak & Spice
 shrubs

East on Random between Sec. 4 & 9

3.00 leave Prairie

33.00 enter Bottom

40.00 sit temp. g. sec. part

48.75 a creek 225 lbs. wide course NW. consider-
 able fall or ripples.

62.00 leave Bottom

80.16 Intersect N. L. line 30 lbs. S. of part -

Land level 2. rate, timber Oak, Ash, Sugar,
 Walnut, Hickory & Beech

West Corrected between Sec. 4 & 9

40.08 sit g. sec. part at aver. dist from which

a B. Walnut 30 in. dia. bears N 137 W 30 lbs. dist.

a R. Elm 8 " " " S 109 W 34 " "

80.16 to sec. cor.

North between Sec. 4 & 5

10.50 a creek 40 lbs. wide course W.

19.50 enter grove

28.25 a Hickory 24 in. dia.

40.00 sit g. sec. part from which

a Hickory 10 in. dia. bears N 41 E 31 lbs. dist. 8

a B. Walnut 30 " " " S 129 W 16 " "

43.75 enter Prairie

75.00 enter grove

79.91 Intersect N. Boundary 104 lbs. E. of part -

sit part at intersection cor. of sec. 4 & 5 from wh.

a B. Jack 12 in. dia. bears N 25 E 58 lbs. dist. 8

a Do 10 " " " S 61 E 38 " "

Land level 2. rate, timber Oak & Hickory

T. 20 N., R. 7 W. 2. Mer. Ind.

Ch. 2^d.

1st Prairie wet, 2^d Prairie level & rich
Saturday, December 10. 1820

North between Sec. 31 & 32

In a Bottom

1.32 at Brook 44 Ws. wide course W.

9.27 at Blue Ash 20 in. dia.

10.00 leave Bottom

40.00 at gr. sec. post from which

a W. Ash 15 in. dia. bears N 16° W 33 Ws. dist. 8

a Sugar 20 " " " S 52° E 20 " "

44.00 at W. Oak 30 " "

79.00 at Brook 12 Ws. wide course W

80.00 at post cor. of Sec. 29, 30, 31 & 32 from which

a Sugar 24 in. dia. bears N 38° E 20 Ws. dist. 8

a Do 23 " " " S 75° W 52 " "

Bottom rich, upland 2^d rate rolling,
timber Sugar, Walnut, Ash, Poplar, Oak
and Beech

East on Random between Sec. 29 & 32

40.00 at temp. gr. sec. post

57.50 at Brook 10 Ws. wide course S W.

80.35 Intersect N. & S. line 48 Ws. N. of post—

Land level 2^d rate, timber Oak, Ash, Hick-
ory, Beech, Sugar & Walnut

West Corrected between Sec. 29 & 32

40.17 1/2 at gr. sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 28° W 15 Ws. dist. 8

a Sugar 14 " " " N 29° E 44 " "

80.35 to sec. cor.

West between Sec. 30 & 31

5.96 a Sugar 14 in. dia.

10.50 enter Bottom

T. 20 N., R. 7 W. 2. Mer. Ind.?

Ch. Lk.

30.00 a creek 65 Yds. on the corner S.

40.00 Set gr. sec. post from which

a W. Elm 20 in. dia. bears S 12 E 18 Yds. dist. &

a Hackberry 22 " " " N 43 E 32 " "

60.00 leave Bottom

69.25 a Sugar 24 in. dia.

81.38 Intersect W. Boundary 40 Yds. S. of post -

set post at intersection cor. of sec. 30 & 31 from

which an Ironwood 8 in. dia. bears N 61 W 15 Yds. dist.

& a Spruce 20 " " " S 24 E 29 " "

Land level 2 rate, Bottom rich, timber Sugar,
Walnut, Hackberry &c.

North between Sec. 29 & 30

35.25 a Sugar 20 in. dia.

40.00 Set gr. sec. post from which

a Sugar 20 in. dia. bears N 21 W 44 Yds. dist.

a Buckeye 18 " " " S 24 E 28

51.57 a Bur Oak 24 in. dia.

80.00 Set post cor. of sec. 19, 20, 29 & 30 from which

a Sugar 18 in. dia. bears N 7 W 12 Yds. dist. &

a Bur Oak 14 " " " S 37 W 50 " "

Land level 1. rate, timber Sugar, Ash, Elm,
Walnut, Hackberry, Buckeye & Beech

Sunday, December 11. 1820

East on Rauden between Sec. 20 & 29

40.00 Set temp. gr. sec. post

80.27 Intersect N. S. line 30 Yds. S. of post -

Land level 2 rate, timber Oak, Walnut,
Sugar, Beech, Ash & Hickory

West Corrected between Sec. 20 & 29

40.13 Set gr. sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 48 W 19 Yds. dist. &

a Do 22 " " " S 40 E 46 " "

T. 20 N., R. 7 W. 2^d Mer. Ind.^a
Ch. 2^d

80.27 to sec. cor.

North between Sec. 19 & 20

0.61 a Beech 18 in. dia.

37.87 a Brook 53 lbs. wide course NW

40.00 cut of sec. part from which

a Beech 20 in. dia. leans N 29 W 25 lbs. dist. 23

a W. Elm 15 " " " N 78 E 26 " "

46.87 a Sugar 22 " "

80.00 cut part cor. of sec. 17, 18, 19 & 20 from which

a Sugar 9 in. dia. leans N 23 W 15 lbs. dist. 3

a W. Oak 42 " " " S 76 E 12 " "

Land a little rolling 2^d rate, timber Oak,
Sugar, Beech, Hickory, Ash & Walnut

East on Random between Sec. 17 & 20

30.71 a Brook 10 lbs. wide course S.

40.00 cut lump of sec. part

42.90 a Brook 15 lbs. wide course SW

00.02 a Do 20 " " " NW

81.04 Intersect N & S. line 3 lbs. N. of part -

Land level 2^d rate, timber Oak, Hickory
& Beech. Upr. thick shrubs of Beech &c.

West Connected between Sec. 17 & 20

40.52 cut of sec. part at aver. dist. from which

a W. Oak 24 in. dia. leans N 44 W 29 lbs. dist. 3

a Beech 27 " " " S 80 E 18 " "

81.04 to sec. cor.

West between Sec. 18 & 19

2.38 a Brook 12 lbs. wide course SW.

10.54 a R. Oak 24 in. dia.

35.78 a Prairie

40.00 cut of sec. part from which

a Bur Oak 24 in. dia. leans N 85 E 42 lbs. dist. 3

T. 20 N., R. 7 W. 2. Mer. Ind.^a

Ch. Lk.

a Bur Oak 36 in. dia. leans S 39° W 300 lbs. dist.

50.00 leave Prairie

52.54 a R. Oak 42 in. dia.

79.50 a Creek 100 Yds. wide course E

81.50 Intersect W. Boundary 113 Yds. S. of port—

sit port at intersection cor. of Secs. 18 & 19 from
which a W. Oak 24 in. dia. leans S 36° W 42 lbs. dist. S

a R. Oak 15 " " " N 53° E 22 " "

Prairie rich, land level 2^d rate, timber Oak,
Hickory & Beech

North between Secs. 17 & 18

2.02 a Brook 10 Yds. wide course SW

8.92 a W. Oak 42 in. dia.

40.00 sit q. sec. port from which

a Hickory 14 in. dia. leans N 45° E 29 lbs. dist. S

a W. Ash 12 " " " S 45° W 7 " "

50.00 enter wet land

57.53 a R. Oak 30 in. dia.

58.50 leave wet land

80.00 sit port cor. of Secs. 7, 8, 17 & 18 from which

a Hickory 16 in. dia. leans N 60° W 12 lbs. dist. S

a Do 10 " " " N 43° E 30 " "

Land level 2^d rate, timber Oak, Hickory,
Ash, Elm, Poplar, Beech, Walnut & Sugar

East on Random between Secs. 8 & 17

40.00 sit temp. q. sec. port

81.12 Intersect N. & S. line 6 Yds. N. of port—

Land level 2^d rate, timber Oak, Hickory, Walnut,
Beech & Sugar. Upr. Bramble & thick shrubs.

West Corrected between Secs. 8 & 17

40.50 sit q. sec. port at aver. dist. from which

a W. Oak 30 in. dia. leans N 89° W 16 lbs. dist. S

a Beech 20 " " " S 24° E 30 " "

T.M.V., R. 7 W. 2. Mer. Ind.

Ch. 1st

81.12 to sec. cor. Monday, December 12. 1820

West between Sec. 7 & 18

16.57 a W. Ash 16 in. dia

40.00 set of sec. post from which

a B. Walnut 16 in. dia. bears N 79 E 34 1/2 m. dist. &

a Beech 6 " " " S 60 W 43 " "

44.25 enter wet Prairie

49.50 leave Prairie

56.75 a Bur Oak 18 in. dia.

75.75 enter Prairie

81.38 Intersect W. Boundary 90 1/2 m. S. of post -

set post at intersection cor. of sec. 7 & 18 from which

a W. Oak 18 in. dia. bears S 35 E 17 1/2 m. dist. &

a Do 24 " " " S 85 E 450 " "

Land level 2^d rate, timber Oak & Hickory.

North between Sec. 7 & 8

14.48 a Hickory 10 in. dia.

40.00 set of sec. post from which

a R. Elm 16 in. dia. bears N 40 W 21 1/2 m. dist. &

a Walnut 24 " " " S 88 E 82 " "

62.92 a Sugar 24 " "

72.12 a creek 50 1/2 m. wide course NW & enter Prairie

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Sycamore 16 in. dia. bears N 55 E 43 1/2 m. dist. &

a Do 36 " " " S 22 W 498 " "

Land level 2^d rate, timber Oak, Hickory, Walnut, Beech & Sycamore

East on Raudern between Sec. 5 & 8

3.81 a creek 60 1/2 m. wide course SW

6.29 a Do 50 " " " NW

12.98 a Do 26 " " " S

21.72 a Do 60 " " " NW

37.59 a Do 40 " " " SW

T. 20 N., R. 7 W. 2^d Mer. Ind.Chs. 2^d

40.00 set temp. of sec. post

42.16 a creek 50 lks. wide corner NW

68.72 a Do 60 " " " " S4W

80.91 Intersect N & S. line 52 lks. N. of post -
Prairie level rich

West Connected between Sec. 5 & 8

40.45 1/2 set of sec. post at aver. dist. from which
a Willow 10 in. dia bears N 60 E 80 lks. dist. 3
a Bur Oak 30 " " " " S 32 W 699 " "

80.91 to sec. cor.

West between Sec. 6 & 7

40.00 set of sec. post from which
a B. Jack 18 in. dia bears South 56 5 lks. dist. 3
a W. Oak 30 " " " " N 2 W 550 " "81.65 Intersect W. Boundary 144 lks. S. of post set
by myself in running R. G. T. 20 no other cor.
could be found -set post at intersection cor. of sec. 6 & 7 from which
a Hickory (a Bearing to Harris' corner)22 in. dia bears S 70 1/2 W 230 lks. dist. 4
a B. Jack 6 " " " " N 10 E 274 " "
Prairie level rich.

North between Sec. 5 & 6

12.50 leave Prairie & enter grove

23.89 an Elm 16 in. dia.

40.00 set of sec. post from which

a Hickory 10 in. dia bears N 22 E 100 lks. dist. 3
a B. Jack 30 " " " " S 88 E 63 " "79.69 Intersect N. Boundary 90 lks. E. of post -
set post at intersection cor. of sec. 5 & 6 from which
a B. Oak 36 in. dia bears S 1 W 151 lks. dist. 3
a B. Jack 22 " " " " N 52 E 246 " "
Prairie level rich, timbered land level &

T. 20 N., R. 7 W. 2^d Mer. Ind.^a
Chas. Mer.

2^d rate, timber Oak, Hickory & B. Jack.
Upr. thick Hazel shrubs. Tuesday, Dec. 13, 1820

West between Sec. 1 & 30

14.21 a Sugar 20 in. dia.

20.00 enter Bottom

25.50 a creek 50 Yds. wide course S.

40.00 set g. sec. post from which

a Bur Oak 36 in. dia. bears N 51° W 18 Yds. dist. 8

a Do 18 " " " S 51° E 5 " "

44.00 leave Bottom

59.94 a W. Ash 10 in. dia.

81.62 Intersect W. Boundary 20 Yds. N. of post -

set post at intersection cen. of sec. 1 & 30 from

which a Maple 22 in. dia. bears N 11° W 21 Yds. dist. 8

a Beech 18 " " " East 3 " "

Land T. $\frac{1}{2}$ mile rich & Bottom rich - 2 $\frac{1}{2}$

mile rolling 2^d rate, timber Ash, Walnut,
Sugar & Beech. Friday, Dec. 16, 1820

John Milroy

Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township
N. 20 North, in Range N. 7 West of the
2^d Principal Meridian, in the State of In-
diana, has been compared with the original
on file in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Aug. 2, 1844

William Johnston
Sur. Genl.